

Electronic basin mixer for cold water or pre-adjusted water battery operation


Finish: Chrome Article Number: 71503000



Description

product features

- · ComfortZone 100
- · projection: 112 mm
- · spray type: normal spray
- · swiveling spray former
- · maximum flow rate at 3 bar: 5 l/min
- · for cold water or pre-adjusted/conditioned water
- · with isolated water conduction without contact with nickel and lead
- · suitable for continous flow water heaters
- · infrared sensor technology
- automatic environmental adjustment of infrared sensor
- · battery condition indicator available
- battery operation 6 V Lithium-battery, type CR-P2 (lifetime approx. 7 years, at 150 actuations per day, battery included in scope of supply)
- · running time adjustable
- · running time: 10 s, 20 s, 30 s
- hygiene rinse activatable (automatic water flow)
- · frequency of hygiene rinse: 24 h, 48 h, 72 h
- · flushing time hygiene rinse: 10 s, 20 s, 30 s
- permanent rinse activatable (single water flow for 200 seconds, suitable for thermal disinfection)
- cleaning mode: manual water stop for washbasin cleaning
- · connection dimension: DN15
- · dirt filter in the connection hose
- · frequency of hygiene rinse and flushing time hygiene rinse are dependent on each other (24 h 10 s, 48 h
 - 20 s, 72 h 30 s)







Electronic basin mixer for cold water or pre-adjusted water battery operation Finish: Chrome Article Number: 71503000












Electronic basin mixer for cold water or pre-adjusted water battery operationFinish: **Chrome** Article Number: **71503000**







Electronic basin mixer for cold water or pre-adjusted water battery operation Finish: Chrome Article Number: 71503000



Spare part list Year of production: >05/21				
Pos.	Description	Article Number	PC	PU
1	mixer-hood	94468000	16	1
2	aerator M18x1 (5 l/min)	94451000	5	1
3	service tool	93750000	3	1
4	solenoid valve	94453000	14	1
5	O-ring 8x1,5	98423000	1	1
6	fixing set (Ø 32)	13961000	7	1
7	connection hose 450 mm M8x0,75 G3/8	93405000	9	1
8	O-ring 7x1,5	98422000	1	1
9	filter packing	95291000	4	1
10	battery box	94455000	9	1
а	Thermostat	15346000	99	1
b	fixation extension 35 mm	13898000	12	1