

hansgrohe

Activera S Showerpipe 240 1jet EcoSmart+ mit Ecostat Fine Varia

28083000

Chrome



- consists of: overhead shower, hand shower, shower thermostat, shower bar, slider, shower hose
- overhead shower Activera S 240 1jet
- shower head size overhead shower: 240 mm
- spray type overhead shower: Rain
- spray disc surface: graphite
- removable shower head
- flow regulator: 6 l/min (with possible tolerances -20 %)
- function from: 2,9 l/min
- flow rate Rain spray at 3 bar: 5,5 l/min
- spray type hand shower: Rain, ImpactRain
- maximum flow rate of hand shower at 3 bar: 5,7 l/min
- maximum flow rate for Showerpipe at 3 bar: 6 l/min
- minimum flow pressure: 0,5 bar
- max. operating pressure: 10 bar
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- convenient spray selection via Select button on the hand shower
- QuickClean+: reduce limescale deposits thanks to the elasticity of the nozzles
- ball-joint: overhead shower angle adjustable
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- shower arm length overhead shower: 344 mm
- thermostat Ecostat Fine
- SafetyStop at 40°C
- adjustable hot water limitation
- temperature and water flow control
- Outlets may not be operated simultaneously
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection dimension: DN15
- connection thread: G 1/2
- centre distance: 150 ± 12 mm
- variable wall support
- variable drilling hole distance: 750 - 900 mm
- pipe can be shortened in height
- intrinsically safe against backflow
- shower bar diameter: 22 mm
- 2 functions
- EU taxonomy: max. 6 l/min - Substantial Contribution (SC) possible





